

Tender Ref. No. 24SP061T

June 03, 2024

Notice Inviting Tender for the Supply, Installation, Testing and Commissioning of Zebra Printer (ZXP Series 9) along with Accessories at IIM Tiruchirappalli

Indian Institute of Management Tiruchirappalli (IIM Tiruchirappalli), an Institute of National Importance, established by the Ministry of Education (Shiksha Mantralaya), Govt. of India. More details about IIM Tiruchirappalli are available on our website http://www.iimtrichy.ac.in.

IIM Tiruchirappalli invites a Tender for the Supply, Installation, Testing and Commissioning of Zebra Printer (ZX9 Series) along with Accessories at IIM Tiruchirappalli as per the specifications on the terms and conditions given below:

SI. No.	Name of the items	Qty	Rate Per Unit/Year	Total Amount
1	Supply, Installation, Testing and Commissioning of Zebra Smart Card Printer (ZXP Series 9) with 2 years Warranty (Z93-000C000IN00) Detailed Specifications attached as <i>Annexure - I</i>	01 No.		
2	Supply of Zebra YMCK Ribbon for ZXP8 & ZXP9 (625 Images) - 800012-445	1 No.		
3	Supply of Zebra Transfer Film Clear (Single-Sided) (1250 Images) (800012-601)	01 No.		
4	1 mil Laminates-Top-Full Clear (625 Images) (800084-914)	01 No.		
5	Cleaning Kit with LAAM (105999-804)	01 No.		
6	AMC Charges for the Printer mentioned in Sl. No. 1 (After the Completion of 2 Years OEM warranty)	02 Years		
Tot	al Amount including supply, Installation, I Packing, Forwarding, Freight C	abor, Load	ding, Unloading, d excluding GST	
		GS	ST @%	
	To	otal amoun	nt including GST	

Terms & Conditions:

- 1. The above cost should be inclusive of Supply, Installation, Labour, Packing, forwarding, Loading and unloading, freight, etc., and GST. *No extra amount will be paid apart from the above-quoted price.*
- 2. The successful bidder should Integrate the printer with the existing Library Management System (LIBSYS) for the printing of ID Cards.

V Priya



Tender Ref. No. 24SP061T

June 03, 2024

3. Installation to be done at:

Learning Resource Centre (LRC)

Indian Institute of Management Tiruchirappalli,

Trichy-Pudukkottai High way, Tiruchirappalli - 620 024.

Contact: Email: purchase@iimtrichy.ac.in; Phone: 0431 - 2505121/22

4. The Bidder (s) should be registered with the Goods and Services Tax Council for the purpose of Goods & Service Tax (GST). A copy of the GST registration certificate has to be submitted with the tender document. A copy of the GST Registration Certificate, PAN and Bank account details should be submitted along with the Bid. The names appearing on all these documents and the tender document should be the same or linked.

5. Delivery Schedule:

- a. The Vendor should complete the supply and installation of all the items within 15 days from receipt of the Work Order.
- b. In case the firm fails to complete work within the specified period, the Work/Purchase Order as a whole will be terminated. Applicable penalties would be levied to the supplier/vendor. The decision of the competent authority in the matter of penalties would be final and binding.

6. Payment Terms:

- a. No advance payment will be made in any case.
- b. Payment will be released within 25 days from the successful completion of supply and installation, subject to submission of Invoice/Bill along with Warranty Certificate.
- **c. For AMC:** AMC charges pertaining to the respective year will be paid on a half-yearly basis after the completion of two years of OEM warranty.
- d. TDS and any other Government levies applicable on bills as per Government instructions/ notifications issued from time to time shall be applicable and deducted from the Service Provider's bills.

7. Penalty Clause:

Deficiency/delay in work/services will be construed as lapses on the part of the vendor. Such lapses due to the Vendor will be viewed seriously, and penalties will be imposed on the Vendor in case of any delay in completing the required work covered by this Tender within the stipulated date and timings. IIM Tiruchirappalli reserves the right to impose the penalty, and the quantum of the penalty will be decided in individual cases and the decision of the competent authority at IIM Tiruchirappalli shall be final and binding.

8. Warranty: Minimum Two (02) Years from OEM for the item mentioned in S. No.1 (i.e., Zebra Printer) from the date of installation.

V Priya



Tender Ref. No. 24SP061T

June 03, 2024

- 9. The quote shall remain valid and open for acceptance for a period of 90 days from the date of opening of the bid.
- 10. **Subletting of Work:** The firm/agency should not assign or sublet the work/job or any part of it to any other person or party. The Tender is not transferable. Only one Tender shall be submitted by one tenderer.

11. Performance Security Details:

- a. The successful Bidder will be required to remit an interest-free Performance Security Deposit of 5% of the Work Order value through online transfer to the IIM Tiruchirappalli Bank Account within ten working days from receipt of the work order. The security deposit will be refunded to the vendor after completion of the warranty period and adjusting applicable deductions, if any.
- b. Performance Security will be forfeited if the vendor fails to perform/abide by any of the terms or conditions of the contract.
- c. In case the Vendor fails to provide the required services as covered by this Tender within a specified delivery period, the same items will be obtained from the open market, and the difference of cost, if any, will be recovered from the Performance Security or from the pending bill(s) of the defaulting firm or from the vendor if the recoverable amount exceeds the Performance Security and there are no pending bills due to be paid to the respective vendor.
- 12. Bidder should take into account the corrigendum/Addendum published in the IIM Tiruchirappalli website on the tender page from time to time before submitting the bids.
- 13. If you have any technical queries, please e-mail to purchase@iimtrichy.ac.in. You may also call in Phone: 0431 250 5121/22 before submission of the quotation.
- 14. The vendor should quote the rate for all the items, failing which the quotation will not be considered for further evaluation.
- 15. The Bidder should quote the rate for brands mentioned in the Tender Document, else the bid will be rejected
- 16. The bidder should submit the tender/quotation duly signed and stamped on all the pages.
- 17. IIMT reserves the right to change/ extend/ modify/ amend or delete any of the conditions, clauses, or items stated therein in any or all provisions of this tender document. Such revisions/amendments/ corrigendum will be made available on the website of the IIMT Tender portal.
- 18. IIMT also reserves the right to withhold or withdraw the process at any stage with intimation to all the bidders who have submitted the quotation/tender.
- 19. IIMT will not be responsible for any loss in transit or postal delay.
- 20. Tax will be deducted as per the rule in force.

V Priya



Tender Ref. No. 24SP061T

June 03, 2024

21. **Jurisdiction:** All disputes arising out of this contract shall be subjected to the Courts at Tiruchirappalli.

22. Force Majeure:

- a) Should any force majeure circumstances arise, each of the contracting parties be excused for the non-fulfillment or for the delayed fulfillment of any of its contractual obligations if the affected party, within 15 days of its occurrence, informs in a written form the other party.
- b) Force Majeure shall mean fire, flood, natural disaster, or other acts such as war, turmoil, sabotage, explosions, epidemics, quarantine restriction, strikes, and lockouts, i.e., beyond the control of either party.
- 23. GST Number of IIM Tiruchirappalli is 33AAAAI5004R1ZO.

Tenders should be submitted in the sealed cover super scribing "Supply, Installation, Testing and Commissioning of Zebra Printer (ZX9 Series) along with Accessories at IIM Tiruchirappalli" addressed to "The Chief Administrative Officer (i/c), IIM Tiruchirappalli, Trichy Pudukkottai Highway, Trichy – 620 024 to reach us on or before 05.00 PM, June 24, 2024.

V Priya

ANNEXURE - I

PRODUCT SPEC SHEET

ZXP SERIES 9 RETRANSFER CARD PRINTER

Specifications

Printing

- Dye diffusion retransfer
- Full color or monochrome retransfer printing
- · Single- and dual-sided printing
- Max Print Speed Single-Side*: 180 cph (with 300 dpi)
- Max Print Speed Dual-Sided*: 190 cph (with 300 dpi)
- · Photo-quality images
- Over-the-edge printing on standard CR80 media

Standard Features

- USB and Ethernet connectivity
- Single-card feed capability
- 150 card capacity feeder (30 mil)
- 15 card capacity reject hopper (30 mil)
- 100 card capacity output hopper (30 mil)
- i Series™ intelligent media technology
- · Auto-calibration of media
- · 21-character, 6 line LCD operator display
- Print Resolution: printers available with 300 dpi
- 2GB memory standard
- · Lifetime warranty on printhead
- 2-year limited warranty on printer
- · Microsoft® Windows certified drivers

Options and Accessories

- Laminator—single-sided and dual-sided
- Zebra OneCare service programs
- 802.11b/g wireless connectivity
- · Card input hopper (150 cards 30 mil)

Encoding Options and Specifications

- ISO 7816 Smart Card Contact Station for third-party external contact encoders
- \bullet Magnetic stripe encoder—AAMVA and ISO 7811 (new and pre-encoded; tracks 1, 2, and 3; high and low coercivity)
- Combined MIFARE® ISO 14443 A & B (13.56 MHz) contactless, ISO 7816 Contact Encoder PC/SC compliance

Laminator Specifications

- Single-or dual-sided lamination option (with dual-sided printer only)
- GSA FIPS 201 approved (dual-sided lamination)
- Uses Zebra True Secure i Series laminates only
- Laminate for the top and bottom sold separately
- Custom-coded laminates available
- Custom holographic laminates available

Zmotif Software

- ZMotif SDK support and sample code
- Windows 7 $^\circ$ (32 and 64 bit), Windows Server 2008 (32 and 64 bit), Windows 8 $^\circ$ (32 and 64 bit), Windows 8.1 $^\circ$ (32 and 64 bit), Windows Server 2012 (64 bit), Windows 10 (32 and 64 bit)
- CardStudio card design and issuance software

Driver • Graphical card orientation setting to visualize **Features** card printing setup and configuration • Card source and card type selection · Complete graphical control over area and element selection of black extraction parameters Auto sensing of ribbon type, laminator and smart card encoding options **Toolbox Utility** · Printer configuration tools and utilities for **Features** complete control over all printer functions and features • Optional password protection settings and user role-based security settings prevent accidental or unauthorized driver or printer configuration changes • Complete technology card management enables setup and testing of all printer and encoder features and functionality · Printer test cards and diagnostics utilities ensure error-free printing and fast troubleshooting capabilities ZMOTIF SDK • Downloadable SDK for custom applications · SDK enables third parties to quickly add advanced print and encoding features to the ZXP Series 9 printer · Capabilities include direct access to PC/SC Smart Card encoder driver and job control over print job specifications • Support for Uv and inhibit ribbon panel features and capabilities

Supplies

True Colours i Series

- Zebra i Series intelligent technology uses RFID tags to authenticate and automate color ribbons, transfer film and laminate
- $\bullet \ {\it Specially designed cleaning supplies simplify preventative \ maintenance}\\$

Ribbon	YMCK 4 panel: 625 images/roll YMCKK 5 panel: 500 images/roll YMCUVK 5 panel: 500 images/roll YMCKI 5 panel: 500 images/roll YMCKI 6 panel: 415 images/roll Monochome black: 2500 images/roll
True Colours i Series Transfer Film	Clear: 1250 single-sided/625 dual-sided cards/roll
True Secure i Series Laminate	Linerless, waste-free 1.0 mil top and bottom laminate: 625 images/roll Laminate types: clear, magnetic stripe, smart card, and holographic designs Custom laminate with registered or wallpaper holographic images available on request

PRODUCT SPEC SHEET

ZXP SERIES 9 RETRANSFER CARD PRINTER

Card Specifications

- Card thickness: 30 mil
- Card size: ISO 7810 format, Type ID-1, CR-80 size
- Card material: PVC and composite, ABS cards, PET, PET-G, and Teslin® composite**
- • Specialty cards: transparent (IR-blocked) or translucent card 30 mil (clear and colored)**
- \bullet Technology cards: contact and contactless smart cards, UHF cards **

Communications Interfaces

- USB 2.0
- $\bullet \ \mathsf{USB} \ \mathsf{supports} \ \mathsf{plug-and-play} \ \mathsf{printer} \ \mathsf{identification}$
- 10/100 Ethernet
- 802.11 b/g wireless connectivity

Electrical

- Auto-switching single-phase AC power
- 100V~240V AC and 50-60 Hz

Physical

- Height (w/ card hoppers): 13.2"/334 mm
- Width (w/ card hoppers): 18.75"/476 mm
- Width (w/ card hoppers, w/ laminator): 30.75"/781 mm
- Depth: 20.4"/519 mm
- Weight (printer only): 27.5 lbs./12.5 kg
- Weight (printer, laminator): 44 lbs./20 kg

Environmental

- \bullet Operating Temperature: 59° F/15° C to 95° F/35° C
- Storage Temperature: 23° F/-5° C to 131° F/55° C
- Operating Humidity: 20% to 80% inclusive, non-condensing
- Storage Humidity: 10% to 90% inclusive, non-condensing
- Shipping Temperature: -40° F/-40° C to 140° F/60° C
- Shipping Humidity: 10% to 90% inclusive, non-condensing
- Media should not be above 140° F/60° C for longer than 200 hours, and above 90% relative humidity at 104° F/40° C for longer than 100 hours